Chicken Road 2.0

Is Chicken Road 2.0 Safe? Scams and Signals

Safety and scam signals

Contents

Verification of claims 3

Predictors, signals and fraud — Key parameters 3

Related sections 4

Verification of claims

Parameter	Condition and value
Claim being compared	The claim “up to 3 608 855,25×” refers to the Hardcore multiplier limit in the 95,5% table.
Object of the claim being verified	At 3 USD the mathematical gross is above 20 000 USD per paid round of the saved USD demo.; the actual per-round limit is determined by the configuration.
Data available before the bet	Bet, difficulty, grid, cap and the selected rules text are known before Play.
Data available after settlement	Accepted bet, exit decision, result, accepted multiplier, payout and Bet ID after settlement.
Boundary between client and server action	The render displays the possible amount and requests Go/Cash out; server acceptance and history record the outcome.
Sign of product mismatch	Differences in studio, 2.0 name, mode or 30/25/22/18 length are verified against the card and configuration.
Analysis of selecting successful results	In a simple slice of one Hard 3 result, the surviving branch has probability 52,1858%; a conclusion based on selected successful frames does not reflect the entire set.
Number of remaining branches or recipients	At a fixed threshold there are two terminal branches — target reached and payout, or stopping before the target with 0; in the observation, additionally void.
Offer type	A third-party “predictor” or signal service offering to guess the next lane from the client's screen. Its promise is considered separately from InOut.
Prediction promise	A claim about a safe step known in advance is verified on the exact version and a predetermined series without selecting successful attempts.
Source of the file / service	The rules source is the InOut card and the client PF. For a third-party program, the source is its own terms and the bytes of the signed file; the rights holder is established from the details.
Verifiable evidence	The verifiable record contains all accepted and failed IDs with marks before the bet and after settlement, exact time and an unchanging series.

Predictors, signals and fraud — Key parameters

Parameter	Value
Offer type	A third-party “predictor” or signal service offering to guess the next lane from the client's screen. Its promise is considered separately from InOut.
Prediction promise	A claim about a safe step known in advance is verified on the exact version and a predetermined series without selecting successful attempts.
Pre-round data	Bet, difficulty, grid, cap and the selected rules text are known before Play.
Disclosure of verification data	Accepted bet, exit decision, result, accepted multiplier, payout and Bet ID after settlement.

Parameter	Value
Source of the file / service	The rules source is the InOut card and the client PF. For a third-party program, the source is its own terms and the bytes of the signed file; the rights holder is established from the details.
Verifiable evidence	The verifiable record contains all accepted and failed IDs with marks before the bet and after settlement, exact time and an unchanging series.
Selection of lucky examples	In a simple slice of one Hard 3 result, the surviving branch has probability 52,1858%; a conclusion based on selected successful frames does not reflect the entire set.
Request for data or payment	A request for a password, one-time code, funds seed or prepayment via an outside channel is treated as a security inquiry.
When to stop contact	If access to the account or a transfer is requested, contact is stopped and the details of the promise are kept for official support.
Complaint channel	The operator's authorized chat reconciles the Bet ID and history; the publisher accepts corrections via support.michal@chickenroadgry.com.

Related sections

- Chicken Road 2.0 Provably Fair and Result Verification → Provably Fair and control vector